

List of scientific references in support of petition against broiler fast growing breeds

1. Zuidhof, M. J., Schneider, B. L., Carney, V. L., Korver, D. R. & Robinson, F. E. Growth, efficiency, and yield of commercial broilers from 1957, 1978, and 2005. *Poultry Science* 93, 2970–2982 (2014).
2. Marino, L. Thinking chickens: a review of cognition, emotion, and behavior in the domestic chicken. *Anim. Cogn.* 20, 127–147 (2017).
3. Bokkers, E. A. M. & Koene, P. Behaviour of fast- and slow growing broilers to 12 weeks of age and the physical consequences. *Applied Animal Behaviour Science* 81, 59–72 (2003).
4. Meluzzi, A. & Sirri, F. Welfare of broiler chickens. *Italian Journal of Animal Science* 8, 161–173 (2009).
5. Bessei, W. Welfare of broilers: a review. *World's Poultry Science Journal* 62, 455 (2006).
6. Julian, R. J. Rapid Growth Problems: Ascites and Skeletal Deformities in Broilers. *Poultry Science* 77, 1773–1780 (1998).
7. Weeks, C. & Butterworth, A. *Measuring and Auditing Broiler Welfare*. (CABI Publishing, 2004).
8. Pompeu, M. A. et al. Nutritional aspects related to non-infectious diseases in the locomotor system of broilers. *World's Poultry Science Journal* 68, 669–678 (2012).
9. Wideman, R. F., Jr. Bacterial chondronecrosis with osteomyelitis and lameness in broilers: a review. *Poultry Science* 95, 325–344 (2016).
10. McGeown, D., Danbury, T. C., Waterman-Pearson, A. E. & Kestin, S. C. Effect of carprofen on lameness in broiler chickens. *Veterinary Record* 144, 668–671 (1999).
11. Danbury, T. C., Weeks, C. A., Chambers, J. P., Waterman-Pearson, A. E. & Kestin, S. C. Self-selection of the analgesic drug carprofen by lame broiler chickens. *Veterinary Record* 146, 307–311 (2000).
12. Knowles, T. G. et al. Leg disorders in broiler chickens: Prevalence, risk factors and prevention. *PLoS One* 3, 1–5 (2008).
13. Wijesurendra, D. S. et al. Pathological and microbiological investigations into cases of bacterial chondronecrosis and osteomyelitis in broiler poultry. *Avian Pathology* 46, 683–694 (2017).
14. McNamee, P. T. & Smyth, J. A. Bacterial chondronecrosis with osteomyelitis ('femoral head necrosis') of broiler chickens: A review. *Avian Pathology* 29, 477–495 (2000).
15. Riddell, C. The Development of Tibial Dyschondroplasia in Broiler Chickens. *Avian Diseases* 19, 443–462 (1975).
16. Leach, R. M., Jr & Monson-Orran, E. Tibial dyschondroplasia 40 years later. *Poultry Science* 86, 2053–2058 (2007).
17. Van Der Heide, L. Viral arthritis/tenosynovitis: a review. *Avian Pathology* 6, 271–284 (1977).
18. Nham, E. G. et al. Flock-level prevalence, geographical distribution, and seasonal variation of avian reovirus among broiler flocks in Ontario. *Canadian Veterinary Journal* 58, 828–834 (2017).

19. Buijs, S., Keeling, L., Rettenbacher, S., van Poucke, E. & Tuytens, F. A. M. Stocking density effects on broiler welfare: Identifying sensitive ranges for different indicators. *Poultry Science* 88, 1536–1543 (2009).
20. De Jong, I. C., Gunnink, H. & van Harn, J. Wet litter not only induces footpad dermatitis but also reduces overall welfare, technical performance, and carcass yield in broiler chickens. *Journal of Applied Poultry Research* 23, 51–58 (2014).
21. Julian, R. J. Ascites in poultry. *Avian Pathology* 22, 419–454 (1993).
22. Baghbanzadeh, A. & Decuypere, E. Ascites syndrome in broilers: Physiological and nutritional perspectives. *Avian Pathology* 37, 117–126 (2008).
23. Wideman, R. F., Rhoads, D. D., Erf, G. F. & Anthony, N. B. Pulmonary arterial hypertension (ascites syndrome) in broilers: a review. *Poultry Science* 92, 64–83 (2013).
24. Druyan, S. Ascites Syndrome in Broiler Chickens - A Physiological Syndrome Affected by Red Blood Cell. in *Blood Cell - An Overview of Studies in Hematology* (ed. Moschandreu, T.) 243–270 (InTech, 2012).
25. Balog, J. M. Ascites Syndrome (Pulmonary Hypertension Syndrome) in Broiler Chickens: Are We Seeing the Light at the End of the Tunnel? *Avian and Poultry Biology Reviews* 14, 99–126 (2003).
26. Pavlidis, H. O. et al. Divergent selection for ascites incidence in chickens. *Poultry Science* 86, 2517–2529 (2007).
27. Estevez, I. "Density allowances for broilers: where to set the limits?." *Poultry Science* 86, no. 6 (2007): 1265- 1272.
28. Hall, A. L. "The effect of stocking density on the welfare and behaviour of broiler chickens reared commercially." *Animal Welfare* 10, no. 1 (2001): 23-40.
29. Qaid, M., H. Albatshan, T. Shafey, E. Hussein, and A. M. Abudabos. "Effect of Stocking Density on the Performance and Immunity of 1-to 14-d-Old Broiler Chicks." *Revista Brasileira de Ciência Avícola* 18, no. 4 (2016): 683-692.
30. Ononiwu, J. C., Thomson, R. G., Carlson, H. C. & Julian, R. J. Studies on effect of lighting on Sudden death syndrome in broiler chickens. *Canadian Veterinary Journal* 20, 74–77 (1979).
31. Steele, P. & Edgar, J. Importance of acute death syndrome in mortalities in broiler chicken flocks. *Australian Veterinary Journal* 58, 63–66 (1982).
32. Maxwell, M. H. & Robertson, G. W. UK survey of broiler ascites and sudden death syndromes in 1993. *British Poultry Science* 39, 203–215 (1998).
33. Olkowski, A. A. & Classen, H. L. High incidence of cardiac arrhythmias in broiler chickens. *Journal of Veterinary Medicine Series A* 45, 83–91 (1998).
34. Gardiner, E. E., Hunt, J. R., Newberry, R. C. & Hall, J. W. Relationships between age, body weight, and season of the year and the incidence of sudden death syndrome in male broiler chickens. *Poultry Science* 67, 1243–1249 (1988).
35. Barbut, S. et al. Progress in reducing the pale, soft and exudative (PSE) problem in pork and poultry meat. *Meat Science* 79, 46–63 (2008).
36. Dransfield, E. & Sosnicki, A. A. Relationship between muscle growth and poultry meat quality. *Poultry Science* 78, 743–746 (1999).

37. Mudalal, S., Lorenzi, M., Soglia, F., Cavani, C. & Petracci, M. Implications of white striping and wooden breast abnormalities on quality traits of raw and marinated chicken meat. *Animal* 9, 728–734 (2015).
38. Maiorano, G. Meat defects and emergent muscle myopathies in broiler chickens: Implications for the modern poultry industry. *Scientific Annals of Polish Society of Animal Production* 13, 43–51 (2017).
39. Huang, X. & Ahn, D. U. The incidence of muscle abnormalities in broiler breast meat - A review. *Korean Journal for Food Science of Animal Resources* 38, 835–850 (2018).
40. Kuttappan, V. A., Hargis, B. M. & Owens, C. M. White striping and woody breast myopathies in the modern poultry industry: a review. *Poultry Science* 95, 2724–2733 (2016).
41. Hongchao, Jiao, Yongbin Jiang, Zhigang Song, Jingpeng Zhao, Xiaojuan Wang, and Hai Lin. "Effect of perch type and stocking density on the behaviour and growth of broilers." *Animal Production Science* 54, no. 7 (2014): 930-941.
42. Sihvo, H.-K. et al. Wooden breast myodegeneration of pectoralis major muscle over the growth period in broilers. *Veterinary Pathology* 54, 119–128 (2017).
43. Petracci, M., Mudalal, S., Bonfiglio, A. & Cavani, C. Occurrence of white striping under commercial conditions and its impact on breast meat quality in broiler chickens. *Poultry Science* 92, 1670–1675 (2013).
44. Bailey, R. A., Watson, K. A., Bilgili, S. F. & Avendano, S. The genetic basis of pectoralis major myopathies in modern broiler chicken lines. *Poultry Science* 94, 2870–2879 (2015).
45. Zambonelli, P. et al. Detection of differentially expressed genes in broiler pectoralis major muscle affected by White Striping - Wooden Breast myopathies. *Poultry Science* 95, 2771–2785 (2016).
46. Abasht, B., Mutryn, M. F., Michalek, R. D. & Lee, W. R. Oxidative stress and metabolic perturbations in wooden breast disorder in chickens. *PLoS One* 11, 1–16 (2016).
47. Kuttappan, V. A. et al. Estimation of factors associated with the occurrence of white striping in broiler breast fillets. *Poultry Science* 92, 811–819 (2013).
48. Soglia, F. et al. Histology, composition, and quality traits of chicken Pectoralis major muscle affected by wooden breast abnormality. *Poultry Science* 95, 651–659 (2016).
49. Kuttappan, V. A., Brewer, V. B., Apple, J. K., Waldroup, P. W. & Owens, C. M. Influence of growth rate on the occurrence of white striping in broiler breast fillets. *Poultry Science* 91, 2677–2685 (2012).
50. Baldi, G. et al. Implications of white striping and spaghetti meat abnormalities on meat quality and histological features in broilers. *Animal* 12, 164–173 (2018).
51. Zebracki, K. & Drotar, D. Pain and activity limitations in children with Duchenne or Becker muscular dystrophy. *Developmental Medicine & Child Neurology* 50, 546–552 (2008).
52. Spindler, B., Briese, A. & Hartung, J. How much floor space needs a broiler chicken? in *Proceedings of the XV International Congress of the International Society for Animal Hygiene* (2011). doi:10.13140/2.1.4485.0240

53. Feddes, J. J., Emmanuel, E. J. & Zuidhoff, M. J. Broiler performance, body weight variance, feed and water intake, and carcass quality at different stocking densities. *Poultry Science* 81, 774–779 (2002).
54. Kryeziu, A. J., Kamberi, M., Muji, S. & Mestani, N. Carcass traits of broilers as affected by different stocking density and sex. *Bulgarian Journal of Agricultural Science* 24, 1097–1103 (2018).
55. Dozier, W. A., III et al. Stocking density effects on growth performance and processing yields of heavy broilers. *Poultry Science* 84, 1332–1338 (2005).
56. Elfadil, A. A., Vaillancourt, J. P. & Meek, A. H. Impact of stocking density, breed, and feathering on the prevalence of abdominal skin scratches in broiler chickens. *Avian Diseases* 40, 546–552 (1996).
57. Skrbic, Z. et al. The effect of stocking density on individual broiler welfare parameters. 2. Different broiler stocking densities. *Biotechnology in Animal Husbandry* 27, 17–24 (2011).
58. Bailie, C. L., Ijichi, C. & O'Connell, N. E. Effects of stocking density and string provision on welfare-related measures in commercial broiler chickens in windowed houses. *Poultry Science* 97, 1503–1510 (2018).
59. Singh, K. D., Pramanik, P. S. & Kashyap, S. S. Effect of Stocking Density on Foot Pad Lesions and Mortality in Broiler Chickens. *Bulletin of Environment, Pharmacology and Life Sciences* 6, 19–24 (2017).
60. Sørensen, P., Su, G. & Kestin, S. C. Effects of age and stocking density on leg weakness in broiler chickens. *Poultry Science* 79, 864–870 (2000).
61. Kristensen, H. H. & Wathes, C. M. Ammonia and poultry welfare: a review. *World's Poultry Science Journal* 56, 235–245 (2000).
62. Wei, F. X. et al. Ammonia concentration and relative humidity in poultry houses affect the immune response of broilers. *Genetics and Molecular Research* 14, 3160–3169 (2015).
63. Rault, J.-L., Clark, K., Groves, P. J. & Cronin, G. M. Light intensity of 5 or 20 lux on broiler behavior, welfare and productivity. *Poultry Science* 96, 779–787 (2017).
64. Alvino, G. M., Archer, G. S. & Mench, J. A. Behavioural time budgets of broiler chickens reared in varying light intensities. *Applied Animal Behaviour Science* 118, 54–61 (2009).
65. Li, T., Howland, H. C. & Troilo, D. Diurnal illumination patterns affect the development of the chick eye. *Vision Research* 40, 2387–2393 (2000).
66. Schwan-Lardner, K., Fancher, B. I. & Classen, H. L. Impact of daylength on the productivity of two commercial broiler strains. *British Poultry Science* 53, 7–18 (2012).
67. Zhao, J. P. et al. Cool perches improve the growth performance and welfare status of broiler chickens reared at different stocking densities and high temperatures. *Poultry Science* 92, 1962–1971 (2013).
68. Kaukonen, E., Norring, M. & Valros, A. Perches and elevated platforms in commercial broiler farms: use and effect on walking ability, incidence of tibial dyschondroplasia and bone mineral content. *Animal* 11, 864–871 (2017).
69. Gentle, M. J. & Tilston, V. L. Nociceptors in the legs of poultry: Implications for potential pain in pre-slaughter shackling. *Animal Welfare* 9, 227–236 (2000).
70. Bedanova, I. et al. Stress in broilers resulting from shackling. *Poultry Science* 86, 1065–1069 (2007).

71. Raj, M. Welfare during stunning and slaughter of poultry. *Poultry Science* 77, 1815–1819 (1998).
72. Shields, S. J. & Raj, A. B. M. A critical review of electrical water-bath stun systems for poultry slaughter and recent developments in alternative technologies. *Journal of Applied Animal Welfare Science* 13, 281–299 (2010).
73. Raj, M. & Tsemeni-Gousi, A. Stunning methods for poultry. *World's Poultry Science Journal* 56, 291–304 (1996).
74. Devos, G., Moons, C. P. H. & Houf, K. Diversity, not uniformity: slaughter and electrical waterbath stunning procedures in Belgian slaughterhouses. *Poultry Science* 97, 3369–3379 (2018).
75. Raj, A. B. M. Recent developments in stunning and slaughter of poultry. *World's Poultry Science Journal* 62, 467–484 (2006).
76. Gerritzen, M. A., Reimert, H. G. M., Hindle, V. A., Verhoeven, M. T. W. & Veerkamp, W. B. Multistage carbon dioxide gas stunning of broilers. *Poultry Science* 92, 41–50 (2013).
77. Vizzier-Thaxton, Y., Christensen, K. D., Schilling, M. W., Buhr, R. J. & Thaxton, J. P. A new humane method of stunning broilers using low atmospheric pressure. *Journal of Applied Poultry Research* 19, 341–348 (2010).
78. Castellini, C., Dal Bosco, A., Mugnai, C. & Bernardini, M. Performance and behaviour of chickens with different growing rate reared according to the organic system. *Italian Journal of Animal Science* 1, 291–300 (2002).
79. Fanatico, A. C. et al. Performance, livability, and carcass yield of slow- and fast-growing chicken genotypes fed low-nutrient or standard diets and raised indoors or with outdoor access. *Poultry Science* 87, 1012–1021 (2008).
80. Wilhelmsson, S. Comparison of behaviour and health of two broiler hybrids with different growth rates. (SLU, Dept. of Animal Environment and Health, 2016).
81. Kestin, S.C., Knowles, T.G., Tinch, A.E. & Gregory, N.G. 1992. Prevalence of leg weakness in broiler chickens and its relationship with genotype. *Veterinary Record*, 131:190-194.
82. Wallenbeck, A., S. Wilhelmsson, L. Jönsson, S. Gunnarsson, and J. Yngvesson. "Behaviour in One Fast-Growing and One Slower-Growing Broiler (*Gallus Gallus Domesticus*) Hybrid Fed a High- or Low- Protein Diet during a 10-Week Rearing Period." *Acta Agriculturae Scandinavica, Section A — Animal Science* 66, no. 3 (July 2, 2016): 168–76. doi:10.1080/09064702.2017.1303081.
83. Abudabos, Alaeldein M., Emad M. Samara, Elsayeid OS Hussein, Mu'ath Q. Al-Ghadi, and Raed M. Al-Atiyat. "Impacts of stocking density on the performance and welfare of broiler chickens." *Italian Journal of Animal Science* 12, no. 1 (2013): e11.

Relevant legislative references

1. European Commission. Report from the commission to the European Parliament and the council on the application of Directive 2007/43/EC and its influence on the welfare of chickens kept for meat production, as well as the development of welfare indicators. (2018).

84. European Commission. Study on the application of the Broilers Directive (DIR 2007/43/EC) and development of welfare indicators. (2017). doi:10.2875/729456
85. European Commission. Report from the Commission to the European Parliament and the Council on the impact of genetic selection on the welfare of chickens kept for meat production. (2016).
86. European Commission. Study on the application of the broiler directive DIR 2007/43/EC and development of welfare indicators: final report. (2017). doi:10.2875/72945